

Performance Bulletin

PERFORMANCE DATA

Twin 150 Yamaha's

RPM	MPH	GPH	MPG
500	3.5	0.9	3.8
1000	5.5	1.5	3.7
1500	7.45	2.65	3.0
2000	9.22	3.8	2.42
2500	14.85	5.75	2.58
3000	20.15	7.75	2.6
3500	27.15	10.1	2.68
4000	32.9	13.1	2.5
4500	37.3	16.65	2.24
5000	40.65	20.15	2.02
5500	45.05	26.35	1.7
6000	48.75	33.1	1.47

Tested with one motor up

RPM	MPH	GPH	MPG
500	2.28	0.4	5.7
1000	4.7	0.7	6.7
1500	6.2	1.2	5.16
2000	7.55	1.9	3.97
2500	9	3.3	2.72
3000	11.8	5.15	2.29
3500	15.75	6.75	2.33
4000	20.6	8.4	2.45
4500	28.8	10.5	2.74
5000	34.05	14.7	2.3
5500	35.1	16.7	2.1



Boat: 26' Wooldridge SS Pilothouse

Length	26'
Beam	8' 6"
Dry Weight (ext. cab, standup head)	4350
Max HP	300
Fuel capacity	100 gals
Weight as Tested (approximate)	5940

Yamaha F150TXR/LF150TXR

Horsepower	Twin 150's
Fuel Induction	Electronic Fuel Injection
Displacement	163 cu. in.
Weight	475 lbs.
Gear Ratio	2.00

Propeller

Series	Yamaha Performance 3
Diameter/Pitch	15 1/4 x 17

Test Conditions

Number of People	1
Air Temperature	47°
Water Temperature	43°
Elevation	20 ft.
Wind Velocity	10-15 MPH

Comments:

Test weight includes 20 gallons of fuel, 10 gallons of water, safety and test equipment. Total payload of 640 pounds.

Note:

Data may vary due to changes in weather, elevation, options and equipment, load and boat bottom conditions. Fuel data gathered with Yamaha's Command Link™ fuel management system. Speed data gathered with GPS receiver.